


Eyeball light fixtures are provided with a 2' cord. The electrician is responsible for providing an outlet for the light fixture to plug into. Bulbs are 25w - reflector type.

This item includes a six outlet power strip with a 4' cord. The outlet strip is rated at 15 amps. The electrician is responsible for providing and mounting an outlet inside the cabinet for the power strip to plug into. The electrician is also responsible for cutting an appropriate entry point for getting power into the cabinet.

All electrical work is to be performed by a licensed electrical contractor and to be performed in accordance with all applicable national, state, and local codes.

Counter top joints and seams in proximity of sinks, shampoo bowls, or pedicure basins are to be sealed on-site with clear silicone caulk to prevent water intrusion and damage.


All plumbing work is to be performed by a licensed plumbing contractor and to be performed in accordance with all applicable state and local codes.



Finish Schedule -


- Face Color -
- Top Color -
- Toe Color - Base Molding
- Reveal / Accent Color -
- Hardware -
- Interior -
- Other (Specify) -

 Collins Manufacturing 2000 Bowser Road Cookeville, TN 38506		
Title: 879-72-1 Bradford Barber		
Size: NTS	Drawing Number: 72649	Drawn By:
Date:	Sheet	10 of 10



Step 1: Remove the drawers out of side cabinets for access to the interior. Use the provided 1 1/2" decorative bolts to bolt through the bottoms of cabinets into pre-installed fasteners in the toe kick (total of six for unit). Do not fully tighten bolts at this point. Use the provided 1 1/4" decorative bolts and connectors to bolt cabinets together by bolting through the interior sides of cabinets. Once all bolts are started go back and fully tighten all bolts. Base unit should be secured to wall with the provided 3" wood screws and beauty washers by screwing through the interior back of cabinet into wall, make sure to hit wall studs. Fasteners are provided for wood framed walls only.

Step 2: Use the provided 1 1/4" decorative bolts to bolt through the top of base cabinets into the pre-installed fasteners in the bottom of the upper cabinets - tighten fully. Secure the upper cabinets to the wall by using the provided 3" wood screws and beauty washers and screwing through the back of upper cabinets into wall. To conceal screws place above the fixed shelf.



Finish Schedule -

Face Color - Acajou Mahogany
Top Color -
Toe Color - Base Molding
Reveal / Accent Color -
Hardware - QSE Thumb Pulls
Interior - Black
Other (Specify) -



General Notes:

1. All counter tops are to be made removable wherever possible.
2. Items must be broken into manageable sections For Shipping. Mark For Ease Of Reassembly.
3. Install Shipping Cleats Wherever Possible To Prevent Shipping Damage.
4. Purchased items Must Be Trial Fit Before Shipping.

Collins Collins Manufacturing
 2000 Bowser Road
 Cookeville, TN 38506

Title:		
Size: NTS	Drawing Number:	Drawn By:
Date:	Sheet	

Step 3: Set crown cap in place and secure by screwing through the pre-drilled holes in top of cap into the top edges of upper cabinets. Use the provided 1 1/2" wood screws and beauty washers. Attach framed mirror to wall using the hooks on the back of frame. Be sure to use the proper fasteners for your wall type. At this point you may re-install all drawers and install the tool panel. See the illustrations on the attached page for help with drawers and tool panel installation.



Finish Schedule –

Face Color - Acajou Mahogany
Top Color -
Toe Color - Base Molding
Reveal / Accent Color -
Hardware - QSE Thumb Pulls
Interior - Black
Other (Specify) -

General Notes:

1. All counter tops are to be made removable wherever possible.
2. Items must be broken into manageable sections For Shipping. Mark For Ease Of Reassembly.
3. Install Shipping Cleats Wherever Possible To Prevent Shipping Damage.
4. Purchased items Must Be Trial Fit Before Shipping.

 Collins Manufacturing 2000 Bowser Road Cookeville, TN 38506		Title:	
		Size: NTS	Drawn By:
Date:	Sheet		