

Sunscape Pedicure Spa (Shiatsu massage chair)

Stylish Splendor

The Shiatsu massage chair offers the ultimate relaxing experience your clients expect. Purely Simple Pipeless system makes sanitizing between clients effortless. High gloss and scratch resistant base is available in three color options. A sturdy metal base ensures that the Sunscape will withstand the rigors of your busy spa. The Sunscape with Shiatsu massage provides the comfort and luxury your clients will love.

- Shiatsu chair is equipped with convenient flip up manicure trays and deep cup holders that accent the graceful arm styling.
- Client controls chair positioning and recline, along with massage settings via easy-to-use remote control.
- Independently adjustable leg rests with unique top curve brings extra comfort to clients.
- Intuitive design places basin sprayer and faucet controls at technician's fingertips.

Spa Information:

Hot and cold water supply lines required (hot and cold shut offs may be installed under pedicure spa base)

Pedicure spa must be installed by a licensed electrician and a licensed plumber, conforming to all local and national electrical and plumbing codes

All dimensions and weights are approximate.

Whirlpool pump motor: 120V / 60HZ / 1Amp

Water Fill Line Capacity: 5.5 U.S. gallons (21 Liters)

Seat upholstery: Polyurethane

Seat and back motors: 24V DC Linear Actuators.

Power source: 120V / 60HZ / 7.5Amp / 900W

Construction: Steel Frame with ABS-backed acrylic shells and basin, pre-plumbed

Technology: 2 water massage channels, no closed loop circulating pipes, fully drained. System employs three part assembly that twists from the basin for easy cleaning.

Electrical switches: On/Off switch for pump. Single hand-held, low voltage remote controls for massage motors and seat forward/back position. Hot and Cold water supply lines required.

Compliances: Conforms to UL STD 1951. Certified to CAN/CSA Std C22.2 No. 68

Also classified in accordance with: ASME A112.18.3-2002(R2008) ASME A112.18.1-2012/CSA B125.1-12

Electrostatic Limits: This unit may lose one or more functions when electrostatic contact discharge in excess of 4KV gets into accessible conductive part of the unit and can be restored by resetting the unit. AC input power port and can be restored by resetting the unit. This unit may lose one or more functions when subjected to fast transient voltages in excess of 0.5KV at 5 KHz repetition frequency and cannot be restored.

Limited warranty: 2 year limited parts warranty on all components.

All dimensions and weights are approximate.

SHIPPING INFORMATION

Sunscape Spa with Shiatsu Massage (Model FS2013FB-WI)

Shipping Dimensions (spa only with seat collapsed):

56"L (142cm) x 32"W (82cm) x 33"H (84cm)

Shipping Dimensions

(spa with seat collapsed, carton, and pallet):

67"L (170cm) x 38"W (100cm) x 43"H (109cm)

Weight:

205 lbs. (91 kg) - Spa

255 lbs. (114 kg) - Spa, carton, and pallet

Overall dimensions, seat upright and forward:

59"L (150cm) x 32"W (82cm) x 55"H (140cm)

Minimum area required for full chair movement:

75"L (191cm) x 50"W (127cm) x 59"H (150cm)

Spa requires 16" (40.64 cm) of space between pedicure spa and wall

Cushion color options: sable, cabernet, latte, champagne

Base color options: black, almond, white

Basin color options: midnight, frost, gypsum

Fusion Spas

Exceeding industry standards

Fusion Spas, headquartered in Milwaukee, Wisconsin, manufactures pedicure spas with an unwavering commitment to customer service, reliability and innovation. A family owned company, Fusion Spas applies decades of experience to the spa industry to develop pedicure spas from the inside out, reaching a balance of simple design without sacrificing features or comfort, reliability or durability.